



VALVOLA DI NON RITORNO - CHECK VALVE INSIDE




AV14




AV14

5 L/MIN
6 L/MIN
7 L/MIN
8 L/MIN
9 L/MIN

 • TUTTE LE NOSTRE DOCCE POSSONO MONTARE VALVOLA DI NON RITORNO AV14 CON O SENZA LIMITATORE DI PORTATA.

 • ALL OUR SHOWERS CAN BE FITTED WITH AV14 CHECK VALVE WITH OR WITHOUT FLOW REGULATOR.



VANTAGGI DEL SILICONE LIQUIDO


LIQUID SILICON'S ADVANTAGES



• **TOTALE ATOSSICITA'**




• **TOTAL NON-TOXICITY**



• **DUREZZA INALTERABILE NEL TEMPO**



• **UNALTERABLE HARDNESS**



• **FACILE DA PULIRE**



• **EASY TO CLEAN**




ECS EASY CLEANING SYSTEM

ECS



 **Disco con ugelli in silicone per una facile rimozione del calcare.**


 **Faceplate with silicon nozzles to allow an easy limestone removal.**




KEY-ONE CLEANING SYSTEM

KCS



 **Tutte le docce Amfag montano aeratori adatti a key-one. Accessorio brevettato per una veloce rimozione del calcare.**

In alcune docce la key-one serve anche a montare o smontare l'aeratore.

 **All Amfag spray heads use aerators suitable for key-one, a patented accessory for a quick limestone removal.**

In some spray heads the keyone is needed to install and remove the aerator.

ACCESSORIO - ACCESSORY

KEY-ONE MICRO



4507991

KEY-ONE MICROEVO



4507993

KEY-ONE 24



4508001

KEY-ONE 24 FLAT



4507995

ALL AMFAG SPRAY HEADS ARE 100% AIR TESTED - ONE BY ONE